

Release Notes

Station-IC v1.7.2.-build.3 RELEASE NOTES



Date: 24 December 2025

Release: v1.7.2.-build.3

Doc Part No: PUB-00077 Rev M

Station-IC Release Note

CONTENTS

1	INTRODUCTION	5
1.1	Scope	5
1.2	Station-IC Version 1.7.2-build.3	5
1.2.1	Features added in this release	5
1.2.2	Enhancements in this release	5
1.2.3	Bug Fixes in this release	5
1.2.4	Firmware versions of linked or sub-systems	5
	Station-IC Remote API - Elgato plugin	5
1.2.5	Part Number Reference	5
1.2.5.1	Firmware	5
1.2.5.2	Documentation	5
1.3	Station-IC Version 1.7.0-build.21	6
1.3.1	Features added in this release	6
1.3.2	Enhancements in this release	6
1.3.3	Bug Fixes in this release	6
1.3.4	Firmware versions of linked or sub-systems	6
	Station-IC Remote API - Elgato plugin	6
1.3.5	Part Number Reference	6
1.3.5.1	Firmware	6
1.3.5.2	Documentation	6
1.4	Station-IC Version 1.6.1-build.5	8
1.4.1	Features added in this release	8
1.4.2	Enhancements in this release	8
1.4.3	Bug Fixes in this release	8
1.4.4	Firmware versions of linked or sub-systems	9
	Station-IC Remote API - Elgato plugin	9
1.4.5	Part Number Reference	9
1.4.5.1	Firmware	9
1.4.5.2	Documentation	9
1.5	Station-IC Version 1.6.0-build.13	10
1.5.1	Features added in this release	10
1.5.2	Enhancements in this release	10
1.5.3	Bug Fixes in this release	10
1.5.4	Firmware versions of linked or sub-systems	11
	Station-IC Remote API	11
1.5.5	Part Number Reference	11
1.5.5.1	Firmware	11
1.5.5.2	Documentation	11
1.6	Station-IC Version 1.5.0-build.36	13
1.6.1	Features added in this release	13
1.6.2	Enhancements in this release	13
1.6.3	Bug Fixes in this release	13
1.6.4	Part Number Reference	13
1.6.4.1	Firmware	13
1.6.4.2	Documentation	13
1.7	Station-IC Version 1.4.0-build.17	14
1.7.1	Features added in this release	14
1.7.2	Enhancements in this release	14

Station-IC Release Note

1.7.3	Bug Fixes in this release.....	14
1.7.4	Part Number Reference.....	14
1.7.4.1	Firmware.....	14
1.7.4.2	Documentation.....	14
1.8	Station-IC Version 1.3.0-build.31.....	14
1.8.1	Features added in this release.....	15
1.8.2	Enhancements in this release.....	15
1.8.3	Bug Fixes in this release.....	15
1.8.4	Part Number Reference.....	15
1.8.4.1	Firmware.....	15
1.8.4.2	Documentation.....	15
1.9	Station-IC Version 1.3.0-build.23.....	16
1.9.1	Features added in this release.....	16
1.9.2	Enhancements in this release.....	16
1.9.3	Bug Fixes in this release.....	16
1.9.4	Part Number Reference.....	16
1.9.4.1	Firmware.....	16
1.9.4.2	Documentation.....	17
1.10	Station-IC Version 1.2.0-build.78.....	18
1.10.1	Features added in this release.....	18
1.10.2	Enhancements in this release.....	18
1.10.3	Bug Fixes in this release.....	19
1.10.4	Part Number Reference.....	19
1.10.4.1	Firmware.....	19
1.10.4.2	Documentation.....	19
1.11	Station-IC Version 1.1.0-build.21.....	20
1.11.1	Features added in this release.....	20
1.11.2	New operation/Bug Fixes added in this release.....	20
1.11.3	Part Number Reference.....	20
1.11.3.1	Firmware.....	20
1.11.3.2	Documentation.....	20
1.12	Station-IC Version 1.0.0-build.42.....	21
1.12.1	Part Number Reference.....	21
1.12.1.1	Firmware.....	21
1.12.1.2	Documentation.....	21
2	KNOWN ISSUES.....	22

REFERENCE LINKS:

Knowledge Center: <https://www.clearcom.com/Download-Center/Knowledge-Centers/Station-IC-Knowledge-Center>

Download Registration: <https://www.clearcom.com/Service-Support/Station-IC-Virtual-Client-Registration>



Sign up to receive alert emails when
new software or firmware is available

<https://clearcom.me/softwarealerts>

Legal:

Terms and Conditions: <https://www.clearcom.com/agent-ic-station-ic-terms-of-service/>

Privacy Statement: <https://www.clearcom.com/Privacy-Statement>

1 Introduction

1.1 Scope

This document describes all releases of Station-IC Virtual Client of major version 1 for Windows and MacOS.

1.2 Station-IC Version 1.7.2-build.3

Major feature addition and enhancements of the Station-IC Virtual Client for Windows and MacOS operating systems capable of connecting to either Eclipse HX 12.1+ with available IVC-32 or E-IPA capacity, LQ v4.4+ and Gen-ICv1.0+ Virtual Intercom.

1.2.1 Features added in this release

TP194512	AES-128 Data Encryption Support (Basic) Implementation of AES-128 encryption across all compatible platforms such as Gen-IC, Agent-IC (iOS and Android), and Station-IC. The primary objective is to secure audio transmission between devices, specifically addressing cybersecurity vulnerabilities in cloud-managed intercom communications.
TP194361	
TP194940	

1.2.2 Enhancements in this release

None

1.2.3 Bug Fixes in this release

TP212019	Station-IC [Win]: DS Penske (MRTC) Favourites Not Showing After Update
----------	---

1.2.4 Firmware versions of linked or sub-systems

The Stream Deck plugin for Station-IC will allow volume settings for main keysets.

Product	Version
Station-IC Remote API - Elgato plugin	v0.3.4

1.2.5 Part Number Reference

1.2.5.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe	M	M	1.7.2.-build.3
SOF-00062	Station-IC Software for MacOS	dmg	M	M	1.7.2.-build.3

1.2.5.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	L	L	1.7.1.-build.3
PUB-00077	Station-IC Release Notes	M	M	1.7.2.-build.3
PUB-00068	Station-IC Client Hosted License Guide	A	A	1.0.0.-build.41

Station-IC Release Note

1.3 Station-IC Version 1.7.0-build.21

Major feature addition and enhancements of the Station-IC Virtual Client for Windows and MacOS operating systems capable of connecting to either Eclipse HX 12.1+ with available IVC-32 or E-IPA capacity, LQ v4.4+ and Gen-ICv1.0+ Virtual Intercom.

1.3.1 Features added in this release

TP201855	Priority Channel Priority channel provides some IFB-like feature for digital party-line system with a very simple and easy to understand concept that is implemented completely at the endpoint.
----------	--

1.3.2 Enhancements in this release

None

1.3.3 Bug Fixes in this release

TP205506	Station-IC [Win]: (Globalstar) Crash after connection to LQ/Gen-IC profile
TP205686	Station-IC: Fix Network Detection which Logs out LQ if Internet Disconnects
TP208905	Station-IC [Win]: (Globalstar) Application Crashing
TP207941	Station-IC: Collect Support Files option does not save the file in to the right path
TP207951	Station-IC: Channels with long names break keyset UI
TP210267	Station-IC [Win]: (Globalstar) Unrecoverable Window Off-Screen
TP210790	Station-IC: Instances get duplicated on Station-IC upon Gen-IC start
TP210795	Station-IC [Mac]: Click on start before Profiles are totally loaded causes unexpected app behavior
TP210969	Station-IC [Win]: DS Penske (MRTC) Application Crashing
TP210888	Station-IC [Mac]: Perpetually crashes after update attempts - MacOS 26
TP211292	Station-IC: "New version installed" modal too long
TP211262	Station-IC: Default profiles disappear from application upon login/logout to cloud

1.3.4 Firmware versions of linked or sub-systems

The Stream Deck plugin for Station-IC will allow volume settings for main keysets.

Product	Version
Station-IC Remote API - Elgato plugin	v0.3.4

1.3.5 Part Number Reference

1.3.5.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe	L	L	1.7.0.-build.21
SOF-00062	Station-IC Software for MacOS	dmg	L	L	1.7.0.-build.21

1.3.5.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	L	L	1.7.0.-build.21

Station-IC Release Note

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00077	Station-IC Release Notes	L	L	1.7.0.-build.21
PUB-00068	Station-IC Client Hosted License Guide	A	A	1.0.0.-build.41

Station-IC Release Note

1.4 Station-IC Version 1.6.1-build.5

Major feature addition and enhancements of the Station-IC Virtual Client for Windows and MacOS operating systems capable of connecting to either Eclipse HX 12.1+ with available IVC-32 or E-IPA capacity, LQ v4.4+ and Gen-ICv1.0+ Virtual Intercom.

1.4.1 Features added in this release

TP200511	Station-IC: (Stream Deck) Volume Control Stream deck plugin and Station-IC will both support the sending/receiving (where applicable) of volume settings for main keysets. This will be configurable as an increment/decrement adjustment via volume dials, as well as a mute/unmute function from the Stream Deck plugin.
----------	---

1.4.2 Enhancements in this release

TP188735	Station-IC: Switch to disable no display sleep
TP199500	Station-IC: Always On Top
TP199347	Station-IC: (Stream Deck) Display front-facing keyset labels to plugin dropdown


1.4.3 Bug Fixes in this release

TP201680	Station-IC: Events not being reflected on Stream Deck app when a remote endpoint is calling or sending event 1 or 2 on LQ/Gen-IC
TP201563	Station-IC: [Light Mode] Margin lines disappear on mouse hover
TP201095	Station-IC: Profile Data not saved/retrieved to/from SkyPort
TP200513	Station-IC: (Stream Deck) There is no way to change the key type after role change for a single keyset
TP201023	Station-IC: Network required to start message when user account not validated correctly
TP202593	Station-IC: Sign in with email using a dedicated provider account in dark mode shows a message in low contrast
TP202414	Station-IC: (Remote-API) Internal Docs Missing Links and Blank Operations
TP202129	Station-IC: (Stream Deck) Connect to a profile message when Stream Deck is open after Station-IC connection
TP201812	Station-IC: Events not being reflected on Stream Deck app when a remote endpoint is calling or sending event 1 or 2 on LQ/Gen-IC

Station-IC Release Note

1.4.4 Firmware versions of linked or sub-systems

The Stream Deck plugin for Station-IC will allow volume settings for main keysets.



Product	Version
Station-IC Remote API - Elgato plugin	v0.3.4

1.4.5 Part Number Reference

1.4.5.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe			1.6.1.-build.5
SOF-00062	Station-IC Software for MacOS	dmg			1.6.1.-build.5

1.4.5.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	K	K	1.6.1.-build.5
PUB-00077	Station-IC Release Notes	K	J	1.6.1.-build.5
PUB-00068	Station-IC Client Hosted License Guide	A	A	1.0.0.-build.41

Station-IC Release Note

1.5 Station-IC Version 1.6.0-build.13

Major feature addition and enhancements of the Station-IC Virtual Client for Windows and MacOS operating systems capable of connecting to either Eclipse HX 12.1+ with available IVC-32 or E-IPA capacity, LQ v4.4+ and Gen-ICv1.0+ Virtual Intercom.

1.5.1 Features added in this release

TP170388 TP195012	<p>Remote API Core Interface</p> <p>The following has been added for the remote API of Station-IC:</p> <ul style="list-style-type: none">• Global mic toggle mute and global speaker toggle mute• The reply keyset (including the main reply key, the dismiss key, the left and right keys)• The main keysets and their primary and secondary keys <p>The client side will receive upon connection to the remote API (Only for WebSocket):</p> <ul style="list-style-type: none">• WebSocket connection status <p>The client side will receive upon connection to the remote API and logged into a profile:</p> <ul style="list-style-type: none">• Profile connection status: indicating whether the user is logged in to a profile (CONNECTED, CONNECTING, DISCONNECTED).• Keysets mapping: A list of all the keysets/channels of the profile that the user can access, along with their keyset IDs, and the type of buttons that are set for each keyset. <p>Favorites mapping: A list of the favorite keysets/channels for the profile and their fav IDs</p>
----------------------	--

1.5.2 Enhancements in this release

TP170387 TP185174 TP190104 TP195009	<p>ELECTRON-FORGE UPGRADE:</p> <p>Electron Forge is an all-in-one tool for packaging and distributing Electron applications. It combines many single-purpose packages to create a full build pipeline that works out of the box, complete with code signing, installers, and artifact publishing.</p>
--	--


1.5.3 Bug Fixes in this release

TP201095	Station-IC: Profile Data not saved/retrieved to/from SkyPort
TP201096	Station-IC: Unable to start Gen-IC instance when it appears in Windows

Station-IC Release Note

1.5.4 Firmware versions of linked or sub-systems

The Stream Deck plugin for Station-IC allows the user to control the functionality available on the Intercom Communication Application.



Product	Version
Station-IC Remote API - Elgato plugin	V0.3.2

User Actions Include:

- Global Microphone and Speaker mute control.
- Reply Key Actions - Immediate call answering, left/right stacked Key navigation, plus 'clear' functionality.
- Main Keypad Actions - Allows configuration and control of two interaction behaviours (latching/momentary) for four possible Key functions (Talk, Call, etc) across twelve Keypads.
- Favorite Keypad Actions - Allows configuration and control of six assignable favorite Keypads, permitting Talk functionality, plus Talk/Listen status.

1.5.5 Part Number Reference

1.5.5.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe			1.6.0.-build.13
SOF-00062	Station-IC Software for MacOS	dmg			1.6.0.-build.13

1.5.5.2 Documentation

Station-IC Release Note

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	K	K	1.6.0.-build.13
PUB-00077	Station-IC Release Notes	J	J	1.6.0.-build.13
PUB-00068	Station-IC Client Hosted License Guide	A	A	1.0.0.-build.41

Station-IC Release Note

1.6 Station-IC Version 1.5.0-build.36

Major feature addition and enhancements of the Station-IC Virtual Client for Windows and MacOS operating systems capable of connecting to either Eclipse HX 12.1+ with available IVC-32 or E-IPA capacity, LQ v4.4+ and Gen-ICv1.0+ Virtual Intercom.

1.6.1 Features added in this release

TP155468 TP170521	<p>SkyPort Virtual Client User</p> <p>New type of SkyPort user privileges allows those who manage a Gen-IC to invite users as Virtual Client Users with their e-mail address. This sends an informational email out the user with information on which systems they have been invited to along with links to the Virtual Clients (Agent-IC and Station-IC) and instructions on how to log into the Virtual Clients. Once the user has opened the Virtual Client, they can log in with their email address and will then retrieve a list of all of the Gen-IC virtual intercom systems that are currently in the workspace(s) that they have been invited to without the need to manually create and enter an account with user name, password, DNS and port number.</p> <p>The SkyPort Virtual Client User privileges make managing Virtual Client users on Gen-IC a breeze.</p>
----------------------	---

1.6.2 Enhancements in this release

None

1.6.3 Bug Fixes in this release

179216	<p>Station-IC: Far End Silence suppression does not work on 1st connection</p> <p>Right after starting the application, silence suppression fails to work as expected when enabled.</p>
179383 181382	<p>Station-IC: Network Quality changes</p> <p>Changing network quality would not prompt for reconnection.</p>
167391 172866 173751 173899 179090	<p>Station-IC: User Interface issues</p> <p>Various user interface issues resolved, including License Manager download button, Start button, Stay (upon disconnect), pop up headings and User Guide link issues in certain conditions.</p>

1.6.4 Part Number Reference

1.6.4.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe	1.5.0.-build.36	H	1.5.0.-build.36
SOF-00062	Station-IC Software for MacOS	dmg	1.5.0.-build.36	H	1.5.0.-build.36

1.6.4.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	J	J	1.5.0.-build.36
PUB-00077	Station-IC Release Notes	H	H	1.5.0.-build.36
PUB-00068	Station-IC Client Hosted License Guide	A	A	1.0.0.-build.41

Station-IC Release Note

1.7 Station-IC Version 1.4.0-build.17

Minor feature enhancement and sustaining release of the Station-IC Virtual Client for Windows and MacOS operating systems capable of connecting to either Eclipse HX 12.1+ with available IVC-32 or E-IPA capacity, LQ v4.2+ and Gen-IC Virtual Intercom.

1.7.1 Features added in this release

TP155576	Gen-IC Virtual Intercom Support Station-IC can now connect to Gen-IC using the LQ connection type profile. When Station-IC connects to Gen-IC it will receive a license.
----------	---

1.7.2 Enhancements in this release

TP142690	Password: Adds support for enhanced security rules when used with Eclipse 13.2 and higher. Supports passwords up to 32 character long. Note: Eclipse 13.2 allows enforcement of password length and special characters. Remote logout: Allows EHX 13.2 or higher to remotely log out a connected Agent-IC virtual client remotely.
TP147553	Analytics: Information about the version number of the Eclipse system that hosts the virtual client is collected and reported to Clear-Com if “Data Usage” is enabled by the user. This function was added to the virtual clients to optimize testing of future releases.
TP134483	Reference Links: Added updated links to: Clear-Com’s Knowledge Center, privacy statement and terms of service.
TP97961	Automatic Update Station-IC: Automatic announcement mechanism has been improved.

1.7.3 Bug Fixes in this release

None.

1.7.4 Part Number Reference

1.7.4.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe	1.4.0.-build.17	F	1.4.0.-build.17
SOF-00062	Station-IC Software for MacOS	dmg	1.4.0.-build.17	F	1.4.0.-build.17

1.7.4.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	E	E	1.4.0.-build.17
PUB-00077	Station-IC Release Notes	F	F	1.4.0.-build.17
PUB-00068	Station-IC Client Hosted License Guide	A	A	1.0.0.-build.41

1.8 Station-IC Version 1.3.0-build.31

Minor feature release of the Station-IC Virtual Client for Windows and MacOS operating systems capable of connecting to either Eclipse HX 12.1+ with available IVC-32 or E-IPA capacity or LQ v4.2+.

Station-IC Release Note

1.8.1 Features added in this release

None.

1.8.2 Enhancements in this release

93866	Main Screen Profile drawer Main Screen Profile drawer has been enlarged for improved visibility.
-------	--

1.8.3 Bug Fixes in this release

134653	EULA/Privacy statement acceptance pop-up: User is indented to accept End User License Agreement and Privacy statement as well as being provided ability to opt out of diagnostics collection upon first run of Station-IC. This pop-up be inoperable and require clicking outside the prompt. This has been fixed.
--------	---

Please note:

As the previous release, Version 1.3-build.23, had a limited roll out it is recommended to familiarize yourselves to those release notes as well.

1.8.4 Part Number Reference

1.8.4.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe	1.3.0.-build.31	E	1.3.0.-build.31
SOF-00062	Station-IC Software for MacOS	dmg	1.3.0.-build.31	E	1.3.0.-build.31

1.8.4.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	D	D	1.3.0.-build.23
PUB-00077	Station-IC Release Notes	E	E	1.3.0.-build.31
PUB-00068	Station-IC Client Hosted License Guide	A	A	1.0.0.-build.41

Station-IC Release Note

1.9 Station-IC Version 1.3.0-build.23

Minor feature release of the Station-IC Virtual Client for Windows and MacOS operating systems capable of connecting to either Eclipse HX 12.1+ with available IVC-32 or E-IPA capacity or LQ v4.2+.

1.9.1 Features added in this release

97815	Keypad Zoom Control: Station-IC now has the ability to enlarge keysets with a zoom function to up to 185% of the original size. This is in addition to being able to adjust the window size/shape/position of the application to further tailor the use of the application to various screen sizes and applications. The feature can be accessed via the Station-IC Settings and are saved with the application.
100692	Permanent Eclipse Licenses: Station-IC 1.3+ includes the additional license option to retrieve a license hosted on an Eclipse frame running 13.0+. Eclipse hosted licenses are served to Station-IC users on a first come, first serve bases upon their connection if Station-IC does not find a Subscription or Event License locally on the computer running Station-IC. Note: This option does not replace existing license options. New part numbers for this type of a license are; STATION-IC-HX for 1 user and STATION-IC8-HX for 8 Permanent Station-IC Licenses hosted on LQ are not available.

1.9.2 Enhancements in this release

101177	Tally Icon Contrast Keypad tally icons, which include indicators for; in-use, audio presence, panel connected, and similar have been updated to increase contrast and readability.
	Manual: User manual was updated as a part of this release.

1.9.3 Bug Fixes in this release

130273 130390	Issues with Reply key area on Station-IC connected to Eclipse: Overlapping graphic elements could partly cover elements of the Reply key area. This has been fixed.
128582	Reply key displays ????? if active during Eclipse NID: If the reply key was active with a call while a change was being applied to the Eclipse, it would display ????? in the Reply key during the remainder of the call. This has been fixed.
132359	Cloud Profiles: Issues were found with Cloud Connection Profiles, icons and profile images. This has been fixed.
130269	Station-IC processes do not shut down on exit: It has been noticed in rare occurrences that Station-IC does not close all processes when shut down on Windows computers. This has been fixed.

Please note:

As the previous release, Version 1.2-build.78, had a limited roll out it is recommended to familiarize yourselves to those release notes as well.

1.9.4 Part Number Reference

1.9.4.1 Firmware

Station-IC Release Note

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe	1.3.0.-build.23	D	1.3.0.-build.23
SOF-00062	Station-IC Software for MacOS	dmg	1.3.0.-build.23	D	1.3.0.-build.23

1.9.4.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	D	D	1.3.0.-build.23
PUB-00077	Station-IC Release Notes	D	D	1.3.0.-build.23
PUB-00068	Station-IC License Install Guide	A	A	1.0.0.-build.41

Station-IC Release Note

1.10 Station-IC Version 1.2.0-build.78

Minor feature release of the Station-IC Virtual Client for Windows and MacOS operating systems capable of connecting to either Eclipse HX 12.1+ with available IVC-32 or E-IPA capacity or LQ v4.2+.

1.10.1 Features added in this release

83871 87371 83865 83864	<p>Cloud Profiles: Station-IC (version 1.2) and Agent-IC (iOS version 2.10, Android version 2.8) Virtual Clients now can store intercom system connection Profiles to a Clear-Com Cloud Storage.</p> <p>This allows a Virtual Client user to enter the Profile settings, including the IP address of the intercom system, port number, user name and password, amongst other settings, and have them stored in a Clear-Com Cloud Storage, protected by the users Google, Microsoft, Apple, E-mail or SSO/SAML* credentials and make them easily accessible between the users devices or on a device that is used by many users, who need different settings.</p> <p>Note: This feature shares the Virtual Client Profile and settings between Clients only. Profile settings such as usernames and passwords must still be established in the EHX/LQ CCM and manually entered into the Station-IC and Agent-IC Virtual Client.</p> <p>* Use of SSO/SAML is only available for Station-IC (not available for Agent-IC) and requires a chargeable Clear-Com Service for setup and a unique code each client user must add to their Station-IC setup. Contact Clear-Com for further information and quote.</p>
83794	<p>Themes (i.e. "Dark Mode"): Station-IC now includes the ability to change the color scheme of the Station-IC Virtual Client between Light (in previous versions) and Dark modes.</p> <p>The addition of the Dark mode is to provide an improved user experience in light sensitive environments such as theatres and control rooms where the ambient light is dimmed or fully blacked out while the Light mode is intended for use in daylight.</p> <p>The Themes can be manually switched, by the user, under Settings – General. An additional "System" selection will change between Light and Dark modes depending on the configuration of the Operating System.</p>
95044	<p>Upgrade Notifications: Station-IC will announce to the user if a newer version of Station-IC or the CodeMeter License Manager is available from Clear-Com. To detect the availability of a newer version Station-IC will check in with Clear-Com's servers over the Internet. The upgrade announce prompt will include high level release notes and an optional user-initiated download and upgrade for the relevant software.</p> <p>Note: This feature will become visible to the user the next time Station-IC updates.</p>
81774	<p>Collect Support Files: Station-IC now includes the ability for the user to retrieve all logs for the Station-IC Virtual Client, compress and save a single archive. The feature can be accessed from the "?" icon on the left toolbar at any time. This feature is intended for troubleshooting with Clear-Com Technical Support or Engineering teams.</p>

1.10.2 Enhancements in this release

87374	<p>License Manager Installation: For local licensing of Station-IC the License Manager (CodeMeter) must be installed on the computer.</p> <p>Prompt is added to allow the user to automatically download and install the License Manager or to install from an available installer. Some IT environments do not allow Station-IC to download an application and this selection will allow the download to be done with an IT approved browser. Contact Clear-Com for a direct download link to the License Manager.</p> <p>Station-IC shows an additional progress bar whilst downloading and installing the License Manager.</p>
98421	<p>Manual: User manual was updated as a part of this release.</p>

Station-IC Release Note

1.10.3 Bug Fixes in this release

None

1.10.4 Part Number Reference

1.10.4.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe	1.2.0.-build.78	C	1.2.0.-build.78
SOF-00062	Station-IC Software for MacOS	dmg	1.2.0.-build.78	C	1.2.0.-build.78

1.10.4.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	D	D	1.2.0.-build.78
PUB-00077	Station-IC Release Notes	C	C	1.2.0.-build.78
PUB-00068	Station-IC License Install Guide	A	A	1.0.0.-build.41

Station-IC Release Note

1.11 Station-IC Version 1.1.0-build.21

Release of Station-IC for MacOS and Windows operating systems.
This version connects to either an Eclipse HX Frame or an LQ unit.

1.11.1 Features added in this release.

- Connectivity with LQ units

1.11.2 New operation/Bug Fixes added in this release.

71662	Navigation: Selection Focus is not in visible therefore Tab key disrupts some operations when is used.
71983	On HX frame resets: Disconnection is immediate on Agent-IC/IVC Panel/Iris, but 12 sec. late on Station-IC.
76071	Disconnecting In-Use audio device: Station-IC will occasionally show a blank window when disconnecting the audio device currently in-use.
78269	Keyset Volume adjustment: Keyset Volume level slowly and progressively reach the desired level.

1.11.3 Part Number Reference

1.11.3.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe	1.1.0.-build.21	B	1.1.0.-build.21
SOF-00062	Station-IC Software for MacOS	dmg	1.1.0.-build.21	B	1.1.0.-build.21

1.11.3.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	B	B	1.1.0.-build.21
PUB-00077	Station-IC Release Notes	B	B	1.1.0.-build.21
PUB-00068	Station-IC License Install Guide	A	A	1.0.0.-build.41

Station-IC Release Note

1.12 Station-IC Version 1.0.0-build.42

Initial release of Station-IC for MacOS and Windows operating systems.
This is a virtual Intercom client application that connects to an HX frame.

1.12.1 Part Number Reference

1.12.1.1 Firmware

Part No	Description	File Type	Production Rev	Dev Issue	Last updated in Release
SOF-00062	Station-IC Software for Windows	exe	1.0.0.-build.42	A	1.0.0.-build.42
SOF-00062	Station-IC Software for MacOS	dmg	1.0.0.-build.42	A	1.0.0.-build.42

1.12.1.2 Documentation

Part No	Description	Production Rev	Doc Issue	Last updated in Release
PUB-00051	Station-IC User Guide	A	A	1.1.0.-build.42
PUB-00077	Station-IC Release Notes	A	A	1.1.0.-build.42
PUB-00068	Station-IC License Install Guide	A	A	1.0.0.-build.42

2 Known Issues

This section details those issues that contradict the relevant manuals included in this release.

These issues have not been resolved and are listed here to help you use the system more effectively.

69770	<p>Audio Device Selection: There is no support for special characters in Windows (foreign language). Workaround: Rename your audio device using latin characters.</p>
71611 71103	<p>Live mode key assignment: Key disappearing when moving from listen to talk in live mode. Deleting listen key from EHX makes it disappear in Station IC. Workaround: Disconnect and re-connect Station-IC.</p>
69692	<p>Connecting to HX frame: Occasionally getting "Unable to reach Server" instead of "User Already Logged In". Workaround: Disconnect the existing user or select a different user.</p>
70104	<p>Windows Remote Desktop Connection: Accessing Station-IC through Windows Remote Desktop Connection does not work. Workaround: Install and license Station-IC on computers where you need it.</p>
71429	<p>Tallies: "Panel connected Tally" is not available with EHX 13.1 and higher. Workaround: None.</p>
73069	<p>EHX Reply Tally Auto Clear Time: Additional OS Notifications will not occur during Reply Tally Auto Clear Time. For example, Windows Notifications do stay up for 5 seconds by default, Reply Tally Auto Clear Time is 10 seconds by default. If you receive a Call, do not answer it, and receive a second call 5-10 seconds later, the second Call will not trigger an additional OS notification. Workaround: Configure OS Notification Up time to same time as Reply Tally Auto Clear Time.</p>
75097	<p>Headsets showing up twice in device list: Some Headset/headphone devices will show up twice in the device list, for an operating system configured communication and playback purposes. One entry might have better audio that the other depending on the manufacturer driver implementation. Workaround: Make sure you pick the headset/headphone entry that works well for you in Station-IC.</p>
75590	<p>Connecting to HX frame: Getting "Unable to reach server" instead of "Wrong password" in LAN mode. Workaround: Configure the right password.</p>
75990	<p>Control Keys: Buttons on Control key in Station-IC activate microphone and speakers for 2 seconds. Workaround: None</p>
78350	<p>Keypad programming: Station-IC does not support keysets with one Control key on one side and one Talk or Listen key on the other. Workaround: Put Control and Talk/Listen keys on different keysets.</p>
79038	<p>Audio device selection on MacOS: Default devices are much quieter than the actual device when echo cancellation is on Workaround: Explicitly select the device you are using.</p>
79347	<p>Tally indicators, EHX: Tally icons temporarily turn off when activating talk key. Workaround: None</p>
79626	<p>Talk only Keypad, EHX: Listen key temporarily appears along with quaver tally when there is voice activity.</p>

	Workaround: None
81733	Matrix Black Reset: Keys stay activated after Matrix black reset but there is no audio. Workaround: Logout/Login to clear all keys.
82554	Load keys in EHX Panels Configuration: Talk-Only keysets are not loaded on Station-IC when manually applying changes to Matrix. Workaround: Logout/Login to Station-IC or load keys in EHX while in Live mode
83069 149876	Laptop and external screen: Disconnecting external screen or undocking laptop occasionally leaves Station-IC on "Phantom" screen Workaround: Quit and restart Station-IC.
166847	Station IC MacOS - Notification "Show" button does not open Station IC Workaround: Click anywhere the notification pop up except on the "Show" button for it to work
184567	Station-IC will not start or connect when using a Client Installed License Workaround: CodeMeter License Manager may need to be manually updated for OS compatibility. Contact Clear-Com for a download link.
	Station-IC will not remember its screen position upon shutdown. Workaround: None. This will be fixed in the next version.